References

[1] Yeung T. A, Wong M. H., Chi S. L. (2008) “A Precise Termination Condition of the Probabilistic Packet Marking Algorithm”, IEEE transactions on dependable and secure computing, vol. 5, no. 1, PP. 55-65.

[2] Yau D.K.Y., Lui J.C.S., Liang F.Y. Yam (2005), “Defending against Distributed Denial-of-Service Attacks with Max-Min Fair Server- Centric Router Throttles,” IEEE/ACM Trans. Networking, no. 1, pp. 29-42.

[3] C.W. Tan, D.M. Chiu, J.C. Lui, and Yau D.K.Y.,(2007) “A Distributed Throttling Approach for Handling High-Bandwidth Aggregates,” IEEE Trans. Parallel and Distributed Systems, vol. 18, no. 7, pp. 983- 995.

[4] Franklin D. M. and Stubblefield A. (2002), “An Algebraic Approach to IP Traceback,” ACM Trans. Information and System Security, vol. 5, no. 2, pp. 119-137.

[5] Song D.X. and Perrig, A. (2001) “Advanced and Authenticated Marking Schemes for IP Trace back,” Proc. IEEE INFOCOM ’01, pp. 878-886, Apr..

[6] Snoeren A.C., Partridge, C. Sanchez L.A., Jones C.E., Tchakountio F., Kent S.T., Strayer W.T. (2001). “Hash-Based IP Traceback,” Proc. ACM SIGCOMM ’01, pp. 3-14,

[7] Park K. and Lee H.,(2001) “On the Effectiveness of Probabilistic Packet Marking for IP Traceback under Denial-of-Service Attacks,” Proc. IEEE INFOCOM ’01, pp. 338-347.

[8] Law K.T., Lui J.C.S., Yau D.K.Y.(2005) ,“You Can Run, But You Can’t Hide: An Effective Methodology to Trace back DDoS Attackers,” IEEE Trans. Parallel and Distributed Systems, vol. 15, no. 9, pp. 799-813.

[9] Adler M., (2005), “Trade-Offs in Probabilistic Packet Marking for IP Traceback,” J. ACM, vol. 52, pp. 217-244.

[10] Ioannidis J. and Bellovin S.M. (2002), “Implementing Pushback: Router-Based Defense against DDoS Attacks,” *Proc. Network and Distributed System Security Symp.*, pp. 100-108.

[12] Park K. and Lee H. (2001), “On the Effectiveness of Route-Based Packet Filtering for Distributed DoS Attack Prevention in Power-Law Internets,” *Proc. ACM SIGCOMM '01*, pp. 15-26.

[13] Ferguson P. and Senie D. (1998), “RFC 2267: Network Ingress Filtering: Defeating Denial of Service Attacks Which Employ IP Source Address Spoofing,” *The Internet Soc.*, Vol. 15, no. 2,pp 25-30.

[14] Yau D. K., Lui J. C., Liang F., and Yam Y. (2005), “Defending against Distributed Denial-of-Service Attacks with Max-Min Fair Server-Centric Router Throttles,” *IEEE/ACM Trans. Networking*, no. 1, pp.29-42.

[15] Tan C.W., Chiu M, Lui J.C. and Yau D.K.Y. (2007), “A Distributed Throttling Approach for Handling High-Bandwidth Aggregates,” *IEEE Trans. Parallel and Distributed Systems*, vol. 18, no. 7, pp. 983-995.

[16] Dean D, Franklin M, and Stubblefield A (2002) “An Algebraic Approach to IP Traceback,” *ACM Trans. Information and System Security*, vol. 5, no. 2, pp. 119-137.

[17] Song D.X. and Perrig A., (2001) “Advanced and Authenticated Marking Schemes for IP Trace back,” *Proc. IEEE INFOCOM '01,* pp. 878-886.

[18] Snoeren A.C., Partridge, C. L., Sanchez C.E. Jones, Tchakountio F. S., and Strayer W.T., (2001), “Hash-Based IP Traceback,” *Proc. ACM SIGCOMM '01,* pp. 3-14.

[19] Park K. and Lee H., (2001), “On the Effectiveness of Probabilistic Packet Marking for IP Traceback under Denial-of-Service Attacks,” *Proc. IEEE INFOCOM '01,* pp. 338-347.

[20] Law K.T., Lui C.S. and Yau K.Y.,(2005), “You Can Run, But You Can’t Hide: An Effective Methodology to Traceback DDoS Attackers,” *IEEE Trans. Parallel and Distributed Systems,* vol. 15, no. 9, pp. 799-813.

[21] Adler M. (2005), “Trade-Offs in Probabilistic Packet Marking for IP Traceback,” *J. ACM,* vol. 52, pp. 217-244.

[22] Kukreja P. G., Rewadkar D N (2013) **“**Flexible Deterministic Packet Market: An IP Traceback Scheme” International Journal of Science and Research (IJSR) ,vol-4,no1,pp 55-59.

[23] Jain R. and Meshram A. (2013), **“**A Survey on Packet Marking and Logging**”** -Ruby Jain et al, / (IJCSIT) International Journal of Computer Science and Information Technologies, Vol. 4 (3) , pp 426.429.

[24] Subbulakshmi T, Parameswaran P (2013), “A unified approach for detection and prevention of DDoS attacks using enhanced support vector machines and filtering mechanisms” ,vol. 3, no.2, pp12-15.

[25] Beitollahi H and Deconinck G. (2012), “Analyzing well-known countermeasures against distributed denial of service attacks” vol. 5,no.3,pp5-8.

[26] Peng S. H., Chang K. D., Chen J L., Lin I L, and Chao H. N.,(2012), **“**A Probabilistic Packet Marking scheme with LT Code for IP Traceback”,vol. 5,no. 6,pp78-81.

[27] Albright E. and Dang X H. (2011) **“**An Implementation of IP Trace back in IPv6 Using Probabilistic Packet Marking”, vol. 6, no-2, pp 4-8.

[28] Yan D., Wang Y, Su S., Yang F. (2012), **“**SAPPM: Self-adaptive Probabilistic Packet Marking for IP Trace back”, vol-8, no. 3, pp 12-16.

[29] ZHANG Q L. and Chang Q. (2010) “A Novel Improved Compositive DDoS Defence System” *2nd International Conference on Signal Processing Systems (ICSPS) vol-5,no 4,pp-5-9*

[30] Gong C. and Sarac K. (2009) **“**Toward a Practical Packet Marking Approach for IP Trace back**”** vol. 8, no.4, pp-66-70.

[31] Goodrich M., (2007),**“**Probabilistic Packet Marking for Large-Scale IP Trace back**”** ieee/acm transactions on networking, vol. 10,no. 10,pp-55-58.

[32] Lachlan L. H., Hanly S. V., (2007) **“**The Estimation Error of Adaptive deterministic Packet Marking**” ,** vol 10,no 4,pp-46-51.

[33] Shyamaladevi V, (2008)“Detection of Spoofing Attacks Using Intrusive Filters For DDoS” ,vol 4,no 5,pp 7-9.

[34] Yan S., Anup K, Srinivasam S. (2006) “WON (Wireless Overlay Network) for Traceback of Distributed Denial of Service” vol 4, no 3,pp 12-16.

[35] Ryu H K (2005) , “ Deterministic Packet Marking for Max-Min Flow Control” IEEE vol-3,no 5, pp-45-51.

[36] Harayama, Michiko, Kakehi, Naoyuki and Takeuchi, (2005) **“**Implementation of Probabilistic Packet Marking for IPv6 Traceback”,vol 6,no 2,pp-32-36.

[37] Christian H., Rathke B., Wolisz A. (2003),“On the Importance of a VoIP Packet” ,vol3,no1,pp-4-9.

[38] Chen Z and Lee M C. (2004), **“**An IP Trace back Technique against Denial-of-Service Attacks”.vol5, no 2, pp-34-39.

[39] Park k. and H. Lee, (2001) “On the Effectiveness of Probabilistic Packet Marking for IP Trace back under Denial-of-Service Attacks,” Proc. IEEE INFOCOM ’01, no 1 pp 22-27.

[40] Adler M.,(2005), “Trade-Offs in Probabilistic Packet Marking for IP Traceback,” J. ACM, vol 3, no 2, pp 43-45.